

5

10

SEQUENCE LISTING

15 (1) GENERAL INFORMATION:

(i) APPLICANT: Drazen MD, Jeffrey

20

(ii) TITLE OF INVENTION: Diagnosing Asthma Patients Predisposed to
Adverse Beta-Agonist Reactions

(iii) NUMBER OF SEQUENCES: 9

(iv) CORRESPONDENCE ADDRESS:

25

(A) ADDRESSEE: Choate, Hall & Stewart

(B) STREET: 53 State Street

(C) CITY: Boston

(D) STATE: MA

(E) COUNTRY: USA

30

(F) ZIP: 02109

(v) COMPUTER READABLE FORM:

35

(A) MEDIUM TYPE: Floppy disk

(B) COMPUTER: IBM PC compatible

(C) OPERATING SYSTEM: PC-DOS/MS-DOS

(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

40

(A) APPLICATION NUMBER: US

(B) FILING DATE:

(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

45

(A) NAME: Jarrell PhD, Brenda H.

(B) REGISTRATION NUMBER: 39,223

(C) REFERENCE/DOCKET NUMBER: 0092662-0010

(ix) TELECOMMUNICATION INFORMATION:

50

(A) TELEPHONE: 617 248 4000

(B) TELEFAX: 617 248 5000

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 413 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(vii) IMMEDIATE SOURCE:

- (B) CLONE: Human Beta-2-Adrenergic Receptor Protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Met Gly Gln Pro Gly Asn Gly Ser Ala Phe Leu Leu Ala Pro Asn Arg
1 5 10 15
Ser His Ala Pro Asp His Asp Val Thr Gln Gln Arg Asp Glu Val Trp
20 25 30
Val Val Gly Met Gly Ile Val Met Ser Leu Ile Val Leu Ala Ile Val
35 40 45
Phe Gly Asn Val Leu Val Ile Thr Ala Ile Ala Lys Phe Glu Arg Leu
50 55 60
Gln Thr Val Thr Asn Tyr Phe Ile Thr Ser Leu Ala Cys Ala Asp Leu
65 70 75 80
Val Met Gly Leu Ala Val Val Pro Phe Gly Ala Ala His Ile Leu Met
85 90 95
Lys Met Trp Thr Phe Gly Asn Phe Trp Cys Glu Phe Trp Thr Ser Ile
100 105 110
Asp Val Leu Cys Val Thr Ala Ser Ile Glu Thr Leu Cys Val Ile Ala
115 120 125
Val Asp Arg Tyr Phe Ala Ile Thr Ser Pro Phe Lys Tyr Gln Ser Leu
130 135 140
Leu Thr Lys Asn Lys Ala Arg Val Ile Ile Leu Met Val Trp Ile Val
145 150 155 160
Ser Gly Leu Thr Ser Phe Leu Pro Ile Gln Met His Trp Tyr Arg Ala
165 170 175
Thr His Gln Glu Ala Ile Asn Cys Tyr Ala Asn Glu Thr Cys Cys Asp
180 185 190
Phe Phe Thr Asn Gln Ala Tyr Ala Ile Ala Ser Ser Ile Val Ser Phe

0992662-XXXX

195 200 205

5 Tyr Val Pro Leu Val Ile Met Val Phe Val Tyr Ser Arg Val Phe Gln
210 215 220

Glu Ala Lys Arg Gln Leu Gln Lys Ile Asp Lys Ser Glu Gly Arg Phe
225 230 235 240

10 His Val Gln Asn Leu Ser Gln Val Glu Gln Asp Gly Arg Thr Gly His
245 250 255

Gly Leu Arg Arg Ser Ser Lys Phe Cys Leu Lys Glu His Lys Ala Leu
260 265 270

15 Lys Thr Leu Gly Ile Ile Met Gly Thr Phe Thr Leu Cys Trp Leu Pro
275 280 285

Phe Phe Ile Val Asn Ile Val His Val Ile Gln Asp Asn Leu Ile Arg
290 295 300

20 Lys Glu Val Tyr Ile Leu Leu Asn Trp Ile Gly Tyr Val Asn Ser Gly
305 310 315 320

Phe Asn Pro Leu Ile Tyr Cys Arg Ser Pro Asp Phe Arg Ile Ala Phe
325 330 335

25 Gln Glu Leu Leu Cys Leu Arg Arg Ser Ser Leu Lys Ala Tyr Gly Asn
340 345 350

30 Gly Tyr Ser Ser Asn Gly Asn Thr Gly Glu Gln Ser Gly Tyr His Val
355 360 365

Glu Gln Glu Lys Glu Asn Lys Leu Leu Cys Glu Asp Leu Pro Gly Thr
370 375 380

35 Glu Asp Phe Val Gly His Gln Gly Thr Val Pro Ser Asp Asn Ile Asp
385 390 395 400

40 Ser Gln Gly Arg Asn Cys Ser Thr Asn Asp Ser Leu Leu
405 410

(2) INFORMATION FOR SEQ ID NO:2:

- 45 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 3451 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: both
(D) TOPOLOGY: not relevant

50 (ii) MOLECULE TYPE: cDNA

(vii) IMMEDIATE SOURCE:
(B) CLONE: Human Beta-2-Adrenergic Receptor Gene

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

5
CCCCGGTTCA AGAGATTCTC CTGTCTCAGC CTCCCGAGTA GCTGGGACTA CAGGTACGTG 60
CCACCACACC TGGCTAATTT TTGTATTTTT AGTAGAGACA AGAGTTACAC CATATTGGCC 120
10 AGGATCTTTT GCTTTCTATA GCTTCAAAAT GTTCTTAATG TTAAGACATT CTTAATACTC 180
TGAACCATAT GAATTTGCCA TTTTGGTAAG TCACAGACGC CAGATGGTGG CAATTTTACA 240
TGGCACAACC CGAAAGATTA ACAAATATC CAGCAGATGA AAGGATTTTT TTTAGTTTCA 300
15 TTGGGTTTAC TGAAGAAATT GTTTGAATTC TCATTGCATC TCCAGTTCAA CAGATAATGA 360
GTGAGTGATG CCACACTCTC AAGAGTTAAA AACAAAACAA CAAAAAATT AAAACAAAAG 420
20 CACACAACCTT TCTCTCTCTG TCCCAAATA CATACTTGCA TACCCCGCT CCAGATAAAA 480
TCCAAAGGGT AAAACTGTCT TCATGCCTGC AAATTCCTAA GGAGGGCACC TAAAGTACTT 540
GACAGCGAGT GTGCTGAGGA AATCGGCAGC TGTGAAGTC ACCTCCTGTG CTCTTGCCAA 600
25 ATGTTTGAAA GGAATACAC TGGGTTACCG GGTGTATGTT GGGAGGGGAG CATTATCAGT 660
GCTCGGGTGA GGCAAGTTCG GAGTACCCAG ATGGAGACAT CCGTGTCTGT GTCGCTCTGG 720
ATGCCTCCAA GCCAGCGTGT GTTTACTTTC TGTGTGTGTC ACCATGTCTT TGTGCTTCTG 780
30 GGTGCTTCTG TGTGTTGTTT TGGCCGCGTT TCTGTGTTGG ACAGGGGTGA CTTTGTGCCC 840
GATGGCTTCT GTGTGAGAGC GCGCGCAGT GTGCATGTCG GTGAGCTGGG AGGGTGTGTC 900
35 TCAGTGTCTA TGGCTGTGGT TCGGTATAAG TCTGAGCATG TCTGCCAGGG TGTATTTGTG 960
CCTGTATGTG CGTGCCCTCG TGGGCACTCT CGTTTCCTTC CGAATGTGGG GCAGTGCCGG 1020
TGTGCTGCCC TCTGCCTTGA GACCTCAAGC CGCGCAGGCG CCCAGGGCAG GCAGGTAGCG 1080
40 GCCACAGAAG AGCCAAAAGC TCCCGGGTTG GCTGGTAAGG ACACCACCTC CAGCTTTAGC 1140
CCTCTGGGGC CAGCCAGGGT AGCCGGGAAG CAGTGGTGGC CCGCCCTCCA GGGAGCAGTT 1200
45 GGGCCCCGCC CGGGCCAGCC CCAGGAGAAG GAGGGCGAGG GGAGGGGAGG GAAAGGGGAG 1260
GAGTGCCTCG CCCCTTCGCG GCTGCCGGCG TGCCATTGGC CGAAAGTTCC CGTACGTCAC 1320
GGCGAGGGCA GTTCCCCTAA AGTCCTGTGC ACATAACGGG CAGAACGCAC TGCGAAGCGG 1380
50 CTTCTTCAGA GCACGGGCTG GAACTGGCAG GCACCGCGAG CCCCTAGCAC CCGACAAGCT 1440
GAGTGTGCAG GACGAGTCCC CACCACACCC ACACCACAGC CGCTGAATGA GGCTTCCAGG 1500

0992662-XXXX

	CGTCCGCTCG	CGGCCCCGAG	AGCCCCGCCG	TGGGTCCGCC	CGCTGAGGCG	CCCCAGCCA	1560
	GTGCGCTTAC	CTGCCAGACT	GCGCGCCATG	GGGCAACCCG	GGAACGGCAG	CGCCTTCTTG	1620
5	CTGGCACCCA	ATAGAAGCCA	TGCGCCGGAC	CACGACGTCA	CGCAGCAAAG	GGACGAGGTG	1680
	TGGGTGGTGG	GCATGGGCAT	CGTCATGTCT	CTCATCGTCC	TGGCCATCGT	GTTTGGCAAT	1740
	GTGCTGGTCA	TCACAGCCAT	TGCCAAGTTC	GAGCGTCTGC	AGACGGTCAC	CAACTACTTC	1800
10	ATCACTTCAC	TGGCCTGTGC	TGATCTGGTC	ATGGGCCTGG	CAGTGGTGCC	CTTTGGGGCC	1860
	GGCCATATTC	TTATGAAAAT	GTGGACTTTT	GGCAACTTCT	GGTGCGAGTT	TTGGACTTCC	1920
15	ATTGATGTGC	TGTGCGTCAC	GGCCAGCATT	GAGACCCTGT	GCGTGATCGC	AGTGGATCGC	1980
	TACTTTGCCA	TTACTTCACC	TTTCAAGTAC	CAGAGCCTGC	TGACCAAGAA	TAAGGCCCGG	2040
	GTGATCATT	TGATGGTGTG	GATTGTGTCA	GGCCTTACCT	CCTTCTTGCC	CATTGAGATG	2100
20	CACTGGTACC	GGGCCACCCA	CCAGGAAGCC	ATCAACTGCT	ATGCCAATGA	GACCTGCTGT	2160
	GACTTCTTCA	CGAACCAAGC	CTATGCCATT	GCCTCTTCCA	TCGTGTCCTT	CTACGTTCCC	2220
25	CTGGTGATCA	TGGTCTTCGT	CTACTCCAGG	GTCTTTCAGG	AGGCCAAAAG	GCAGCTCCAG	2280
	AAGATTGACA	AATCTGAGGG	CCGCTTCCAT	GTCCAGAACC	TTAGCCAGGT	GGAGCAGGAT	2340
	GGGCGGACGG	GGCATGGACT	CCGCAGATCT	TCCAAGTTCT	GCTTGAAGGA	GCACAAAGCC	2400
30	CTCAAGACGT	TAGGCATCAT	CATGGGCACT	TTCACCTCT	GCTGGCTGCC	CTTCTTCATC	2460
	GTTAACATTG	TGCATGTGAT	CCAGGATAAC	CTCATCCGTA	AGGAAGTTTA	CATCCTCCTA	2520
35	AATTGGATAG	GCTATGTCAA	TTCTGGTTTC	AATCCCCTTA	TCTACTGCCG	GAGCCCAGAT	2580
	TTCAGGATTG	CCTTCCAGGA	GCTTCTGTGC	CTGCGCAGGT	CTTCTTTGAA	GGCCTATGGG	2640
	AATGGCTACT	CCAGCAACGG	CAACACAGGG	GAGCAGAGTG	GATATCACGT	GGAACAGGAG	2700
40	AAAGAAAATA	AACTGCTGTG	TGAAGACCTC	CCAGGCACGG	AAGACTTTGT	GGGCCATCAA	2760
	GGTACTGTGC	CTAGCGATAA	CATTGATTCA	CAAGGGAGGA	ATTGTAGTAC	AAATGACTCA	2820
45	CTGCTGTAAA	GCAGTTTTTC	TACTTTTAAA	GACCCCCCCC	CCCCAACAG	AACACTAAAC	2880
	AGACTATTTA	ACTTGAGGGT	AATAAACTTA	GAATAAAATT	GTAAAAATTG	TATAGAGATA	2940
	TGCAGAAGGA	AGGGCATCCT	TCTGCCTTTT	TTATTTTTTT	AAGCTGTAAA	AAGAGAGAAA	3000
50	ACTTATTTGA	GTGATTATTT	GTTATTTGTA	CAGTTCAGTT	CCTCTTTGCA	TGGAATTTGT	3060
	AAGTTTATGT	CTAAAGAGCT	TTAGTCCTAG	AGGACCTGAG	TCTGCTATAT	TTTCATGACT	3120

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GCCTTCTTGC TGGCACCCAA AG

22

5 (2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 21 base pairs

(B) TYPE: nucleic acid

10 (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

15

(vii) IMMEDIATE SOURCE:

(B) CLONE: reverse primer Rev

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

AGGATAACCT CATCCGTAAG G

21

25 (2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 base pairs

(B) TYPE: nucleic acid

30 (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

35

(vii) IMMEDIATE SOURCE:

(B) CLONE: wild-type forward primer B1

40

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

CCGGACCACG ACGTCACGCA AC

22

45 (2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 base pairs

(B) TYPE: nucleic acid

50 (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(vii) IMMEDIATE SOURCE:

(B) CLONE: polymorphism-specific forward primer B2 (xi) SEQUENCE
DESCRIPTION: SEQ ID NO:7:

CCGGACCACG ACGTCACGCA AG

22

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(vii) IMMEDIATE SOURCE:

(B) CLONE: Beta-golbin forward primer BG1

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GCTGTCATCA CTTAGACCTC

20

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(vii) IMMEDIATE SOURCE:

(B) CLONE: Beta-globin reverse primer BG2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

CAGACGAATG ATTGCATCAG

20